



K I N T E K F U R N A C E

# D e n t a l F u r n a c e

C o n t a c t u s f o r n i r g e h c t e m p l e r g a s t u r f e F u r n a c e s ,

# K I N T E K F U R N A C E

> > >

K i n t e k F u r n a c e

C V D / P E C V D



: KT - DV10



K i n T e k

	200 / 392 ° F /
	1200 2283 ° F
	2
	1 - 101 %
	100 - 120 50 / 60 230 50 / 60
	14.5 @110 7.0 @230
	1500
	27 x 36 x 53
	9 3.5
	20
	23.5

: KT - DS 1 0



S i C 9 1 5 3 0 ° C

	200 / 392 ° F /
	1530
	2
	100 - 120 50 / 60 230 50 / 60
	14.5 @110 7.0 @230
	1500
	27 x 36 x 56
	9 3.5
	20
	25.5

: KT - DP10



1 2 0 0 ° C

± 1 ° C

	200 / 392 ° F /
	1 2 0 0 2 2 8 3 ° F
	2
	1 - 101 %
	100 - 120 50 / 60 230 50 / 60
	14.5 @110 7.0 @230
	1500
	27 x 36 x 70
	9 3.5
	23
	26.5



K i n t e k F u r n a c e

89

W h a t s A p p  
I m a g e N o t f o u n d